



PEtALS-BC-Filetransfer

This document explain how to install configure and use the petals-bc-filetransfer JBI component.

PEtALS Team

Marie Sauvage <marie.sauvage@ebmwebsourcing.com>

Roland Naudin <roland.naudin@ebmwebsourcing.com>

- July 2008 -



(CC) EBM WebSourcing - This work is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/3.0/>



Table of Contents

PEtALS-BC-FILETRANSFER	5
1. Component Configuration	6
2. Service Configuration	7
2.1. Transfer files into the JBI bus	7
2.1.1. Service Unit descriptor	7
2.1.2. Consumer restrictions	9
2.1.3. Consumer usage	9
2.2. Transfer files out of the JBI bus	10
2.2.1. Service Unit descriptor	10
2.2.2. Consumer restrictions	12
2.2.3. Consumer Usage	12

List of Figures

2.1. Consumes a JBI service on polled file(s)	7
2.2. Provides a JBI service to write JBI messages into directory	10

List of Tables

1.1. Configuration of the component (CDK)	6
2.1. Configuration of a Service Unit to consume a service (JBI)	8
2.2. Configuration of a Service Unit to consume a service (CDK)	8
2.3. Configuration of a Service Unit to consume a service (XSLT)	9
2.4. Configuration of a Service Unit to provide a service (JBI)	10
2.5. Configuration of a Service Unit to provide a service (CDK)	11
2.6. Configuration of a Service Unit to provide a service (XSLT)	11

PEtALS-BC-FILETRANSFER

The FileTransfer component is a Binding Component (BC) which supports file transfers. It is based on the PEtALS CDK.

This component permits to :

- Poll a configured directory for incoming files. At a poll, each file retrieved is put into a new JBI message, placed as source or attachment. The resulted message exchange is sent to a target JBI endpoint.
- Write outgoing JBI message content and attachments into target files.

Chapter 1. Component Configuration

no specific configuration for this component

Table 1.1. Configuration of the component (CDK)

Parameter	Description	Default	Required	Scope
acceptor-pool-size	The size of the thread pool used to accept Message Exchange from the NMR. Once a message is accepted, its processing is delegated to the processor pool thread.	5	Yes	Runtime
processor-pool-size	The size of the thread pool used to process Message Exchanges. Once a message is accepted, its processing is delegated to one of the thread of this pool.	10	Yes	Runtime
performance-notifications	Enable the performance notifications in the component. The CDK proposes to a performance notification feature to the component implementor. If you enable this feature, you must use the related method accessible in the <code>AbstractComponent</code> class.	-	No	Runtime
performance-step	When the performance notification feature is enabled, it is possible to define a step on the notifications. When there is an heavy message traffic, it is recommended to increase this step to avoid performance disturbance.	-	No	Runtime
properties-file	Name of the file containing properties used as reference by other parameters. Parameters reference the property name in the following pattern <code>\${myPropertyName}</code> . At runtime, the expression is replaced by the value of the property. The value of this parameter is : <ul style="list-style-type: none"> • an URL • a file relative to the PEtALS installation path 	-	No	Installation
ignored-status	When the component receives an acknowledgement message exchange, it can skip the processing of these message according to the type of the acknowledgment. If you decide to not ignore some acknowledgement, the component listeners must take care of them. Accepted values : <code>DONE_AND_ERROR_IGNORED</code> , <code>DONE_IGNORED</code> , <code>ERROR_IGNORED</code> OR <code>NOTHING_IGNORED</code>	<code>DONE_AND_ERROR_IGNORED</code>	Yes	Component
jbi-listener-class-name	Qualified name of the class extending AbstractJBIListener	-	Yes	Component
external-listener-class-name	Qualified name of the class extending AbstractExternalListener	-	No	Component

Definition of CDK parameter scope :


- *Component* : The parameter has been defined during the development of the component. A user of the component can not change its value.
- *Installation*: The parameter can be set during the installation of the component, by using the installation MBean (see JBI specifications for details about the installation sequence). If the parameter is optional and has not been defined during the development of the component, it is not available at installation time.
- *Runtime* : The parameter can be set during the installation of the component and during runtime. The runtime configuration can be changed using the CDK custom MBean named `RuntimeConfiguration`. If the parameter is optional and has not been defined during the development of the component, it is not available at installation and runtime times.

Chapter 2. Service Configuration

2.1. Transfer files into the JBI bus

CONSUME SERVICE : Transfer file(s) to a JBI service

Figure 2.1. Consumes a JBI service on polled file(s)



2.1.1. Service Unit descriptor

```
<?xml version="1.0" encoding="UTF-8"?>
<jbi:jbi version="1.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:jbi="http://java.sun.com/xml/ns/jbi"
  xmlns:petalsCDK="http://petals.ow2.org/components/extensions/version-4.0"
  xmlns:filetransfer="http://petals.ow2.org/components/filetransfer/version-2.1"
  xmlns:generatedNs="http://petals.ow2.org/filetransfer">

  <jbi:services binding-component="true">

    <jbi:consumes
      interface-name="generatedNs:get"
      service-name="generatedNs:getService"
      endpoint-name="getServiceEndpoint">

      <!-- CDK specific fields -->
      <petalsCDK:operation>test</petalsCDK:operation>
      <petalsCDK:mep>InOnly</petalsCDK:mep>

      <!-- FileTransfer specific fields -->
      <filetransfer:read-directory>${PETALS_HOME}/filetransfer/in</filetransfer:read-directory>

      <filetransfer:backup-directory>${PETALS_HOME}/filetransfer/backup</filetransfer:backup-directory>
      <filetransfer:transfer-mode>content</filetransfer:transfer-mode>
      <filetransfer:polling-period>1000</filetransfer:polling-period>
    </jbi:consumes>
  </jbi:services>
</jbi:jbi>
```

Table 2.1. Configuration of a Service Unit to consume a service (JBI)

Parameter	Description	Default	Required
consumes	Name of the JBI service to invoke into the JBI bus. You can define only the interface (qname) to let the NMR choose a matching service, or the pair service(qname) and endpoint (string) to consume the localized service.	-	Yes

Table 2.2. Configuration of a Service Unit to consume a service (CDK)

Parameter	Description	Default	Required
mep	Message exchange pattern abbreviation. This parameter can be user in conjunction with the method of the CDK Listeners : <code>createMessageExchange(Extensions extensions)</code> . This method returns a CDK Exchange corresponding to the type of the specified pattern. Admitted values are : <code>InOnly</code> , <code>RobustInOnly</code> , <code>InOptionalOut</code> et <code>InOut</code>	-	No
operation	Operation to call on a service. This parameter can be used in conjunction with the sending methods of the Listeners. If no operation is specified in the Message Exchange to send, this parameter will be used.	-	No
timeout	Timeout in milliseconds of a synchronous send. this parameter can be used in conjunction with the <code>sendSync(Exchange exchange)</code> method of the Listeners. Set 0 for an infinite timeout.	-	No
org.ow2.petals.messaging.consumer.checkPetals	Check the PETALS container document for further details. This property activates the bypass of acknowledgment messages destined to this SU.	-	No
org.ow2.petals.routing.strategy	To be used only in platform (distributed) PETALS distribution. Check PETALS platform documentation for further details. Override the default routing strategy for Message Exchanges sent by this SU	-	No
org.ow2.petals.transport.compression	To be used only in platform (distributed) PETALS distribution. Check PETALS platform documentation for further details. This property activates the compression of the messages payload when set to <code>true</code> .	-	No
org.ow2.petals.transport.policy	To be used only in platform (distributed) PETALS distribution. Check PETALS platform documentation for further details. This property overrides the default policy of the Quality of Service supported by PETALS Transporter for Message Exchange sent by this SU.	-	No

Table 2.3. Configuration of a Service Unit to consume a service (XSLT)

Parameter	Description	Default	Required
read-directory	The location of the directory to poll on files. The address must be absolute. Environment variables are supported with the form <code>\${myEnvVariable}</code> .	-	Yes
backup-directory	The backup directory where files are put once a transfer has been processed. The backup files are never deleted by the component. Environment variables are supported with the form <code>\${myEnvVariable}</code> .	-	No
polling-period	The period between each polling in ms.	1000	Yes
transfer-mode	The mode of transfer of the received file(s) as message payload. Accepted values : <code>content</code> , <code>attachment</code> .	<code>content</code>	Yes

2.1.2. Consumer restrictions

The FileTransfer component supports only `InOnly` message exchange pattern as consumer.

The FileTransfer component does not support synchronous sendings as consumer.

2.1.3. Consumer usage

If you want to invoke a service in the JBI bus with files, put the files in the configured directory (`read-directory`). At each configured polling period (`polling-period`), the component fetches the incoming files.

For each received files and according to the transfer mode (`transfer-mode`), the component creates a new message exchange and attaches the file, either as source or as attachment.

If a file is put as a attachment, the name of the attachment is set to the name of the file, and in the source of the message exchange, the component put a XML structure like following:

```
<attached-files>
  <file-name>myFileName</file-name>
</attached-files>
```

The resulted message exchange(s) are sent to the target endpoint.


During the transfer, if the backup directory (`backup-directory`) is set, the transfered file is moved into it and never deleted by the component. Otherwise the file is moved to the component working directory until the exchange is achieved, then it is deleted.

When deploying a service unit like in the [previous code snippet](#), all the files put in the directory `$PETALS_HOME/filetransfer/in` would be set as the payload of an invocation to the `getService` service.

2.2. Transfer files out of the JBI bus

PROVIDE SERVICE : Write JBI messages content and attachments to directory

Figure 2.2. Provides a JBI service to write JBI messages into directory



2.2.1. Service Unit descriptor

```
<?xml version="1.0" encoding="UTF-8"?>
<jbi:jbi version="1.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:jbi="http://java.sun.com/xml/ns/jbi"
  xmlns:petalsCDK="http://petals.ow2.org/components/extensions/version-4.0"
  xmlns:filetransfer="http://petals.ow2.org/components/filetransfer/version-2.1"
  xmlns:generatedNs="http://petals.ow2.org/filetransfer">

  <jbi:services binding-component="true">

    <jbi:provides
      interface-name="generatedNs:put"
      service-name="generatedNs:putService"
      endpoint-name="putServiceEndpoint">

      <!-- WSDL file -->
      <petalsCDK:wSDL xsi:nil="true" />

      <-- FileTransfer specific fields -->
      <filetransfer:write-directory>${PETALS_HOME}/filetransfer/out</filetransfer:write-directory>
      <filetransfer:copy-mode>content-only</filetransfer:copy-mode>
      <filetransfer:file-pattern>test.xml</filetransfer:file-pattern>
    </jbi:provides>
  </jbi:services>
</jbi:jbi>
```

Table 2.4. Configuration of a Service Unit to provide a service (JBI)

Parameter	Description	Default	Required
provides	Describe the JBI service that will be exposed into the JBI bus. Interface (qname), service (qname) and endpoint (string) attributes are required.	-	Yes

Table 2.5. Configuration of a Service Unit to provide a service (CDK)

Parameter	Description	Default	Required
wsdl	<p>Path to the WSDL document describing services and operations exposed by the provided JBI endpoints defined in the SU.</p> <p>The value of this parameter is :</p> <ul style="list-style-type: none"> • an URL • a file relative to the PEtALS installation path <p>If no wsdl path is specified, a basic description isl automatically provided by the CDK.</p>	-	No
timeout	Timeout in milliseconds of a synchronous send. this parameter can be used in conjunction with the <code>sendSync(Exchange exchange)</code> method of the Listeners. Set 0 for an infinite timeout.	-	No
org.ow2.petals.messaging.provider	<p>Check PEtALS container document for further details.</p> <p>This propety activates the bypass of acknowledgment messages destined to this SU.</p>	-	No

Table 2.6. Configuration of a Service Unit to provide a service (XSLT)

Parameter	Description	Default	Required
write-directory	<p>The location of the directory where to write JBI message. It must be an absolute address.</p> <p>The directory will be created if it does not exist.</p> <p>Environment variables are supported with the form <code>\${myEnvVariable}</code>.</p>	The component workspace directory	No
copy-mode	<p>Transfer either the source, the attachments or both of the payload.</p> <p>Possible values are <code>content-only</code>, <code>attachments-only</code> OR <code>content-and-attachments</code>.</p>	<code>content-and-attachments</code>	Yes
file-pattern	<p>The name of the file where the JBI message source will be written in. The file name will be the JBI operation value if operation found, else it will be the default name <code>content.xml</code>.</p> <p>The system date (in ms since 1970) will be appended on each created file.</p>	The operation name OR <code>content.xml</code>	No

2.2.2. Consumer restrictions

The FileTransfer component supports only `InOnly` message exchange pattern as service provider.

2.2.3. Consumer Usage

According to the configured mode (`copy-mode`), the ingoing normalized message exchange content, attachments or both are transfered to the target directory (`write-directory`).

If the component transfers a source, the name of the created file would be either the configured file pattern (`file-pattern`), the operation of the message exchange, or the default name `content.xml`.

If the component transfers attachments of a message exchange, the name of the created files would be the names of the attachments.

For each file created, the system date is appended to the file name.

When deploying a service unit like in the [previous code snippet](#), all the JBI messages received on the `putService` service will produce files in the `${PETALS_HOME}/filetransfer/out` directory.